

OPTONICA



LED Улична Лампа 220-240V PF>0.95 IP65 Bridgelux 3030 LED

Мощност

- 200W

Цвят на светлината



Бяла светлина

Stamps





Техническа Спецификация

| | |
|-------------------------------------|---------------|
| Каталожен Номер | 9182 |
| Brand | Optonica |
| Product Code | SL200-A3 |
| Power | 200W |
| Energy Consumption | 200 kWh/1000h |
| Input voltage | AC220-240V |
| Flux | 19000 lm |
| FLUX per watt | 95 lm/W |
| IP | 65 |
| Dimmable | No |
| Correlated Color Temperature | 6000K |
| Light Color | Бяла светлина |
| EAN Code | 3800156691827 |
| Energy Efficiency Label | E |

| | |
|---|----------------|
| Beam angle | 120° |
| Hole Size | Ø65 mm |
| Power Factor | 0.95 |
| On/Off Cycles | 35 000x |
| Instant On | 0.1s |
| Material | Aluminium |
| Operating Frequency | 50-60 Hz |
| Temperature | -20°C / +40°C |
| Ra ≥ | 70 |
| Life span | 50 000 Hours |
| Color Code | 857 |
| LED Type | Bridgelux |
| Lumen maintenance at end of service life | 70% |
| Size of product | 705x365x156 mm |
| Size of package | 710x370x230 mm |
| Items per pack | 1 |
| Items per box | 1 |
| Rated Current | 0.75A |

| | |
|---------------------|-----------|
| Gross weight | 9,400 kg |
| Net weight | 8,5455 kg |
| Warranty | 5 Years |