

ОПТОНИСА



LED Улично Осветление С Нема Цокъл И Фотоклетка Bridgelux 3030

Мощност


- 100W



Цвят на светлината



Бяла светлина

Stamps





Техническа Спецификация

Каталожен Номер	9195
Brand	Optonica
Product Code	SL100-A4
Socket	NEMA
Power	100W
Energy Consumption	100 kWh/1000h
Input voltage	AC100-240V
Flux	13500 lm
FLUX per watt	135lm/W
IP	66
Dimmable	Yes
Correlated Color Temperature	6000K
Light Color	Бяла светлина
EAN Code	3800156691957

Energy Efficiency Label	D
Beam angle	120°
Hole Size	Ø65 mm
Power Factor	0.95
On/Off Cycles	35 000x
Instant On	0.1s
Material	Aluminium
Operating Frequency	50-60 Hz
Temperature	-20°C / +40°C
Ra ≥	70
Life span	50 000 Hours
Color Code	857
LED Type	Bridgelux
Lumen maintenance at end of service life	70%
Size of product	545x245x180 mm
Size of package	580x280x200 mm
Items per pack	1
Items per box	1

Rated Current	0.375A
Gross weight	4,500 kg
Net weight	4,0909 kg
Warranty	5 Years