

# OPTONICA




## LED Oberflächen Rundpanel CCT Farbwechsel

### Leistung

- 12W

### Lichtfarbe



Farbwechsel  
3000K-6000K

### Stamps





## Technische Spezifikation

<b>Katalognummer</b>	2536
<b>Brand</b>	Optonica
<b>Product Code</b>	DL12-A3
<b>Power</b>	12W
<b>Energy Consumption</b>	12 kWh/1000h
<b>Input voltage</b>	AC165-265V
<b>Flux</b>	950 lm
<b>FLUX per watt</b>	80lm/W
<b>IP</b>	44
<b>Dimmable</b>	No
<b>Light Color</b>	Farbwechsel 3000K-6000K
<b>Wattage Equivalent</b>	65W
<b>EAN Code</b>	3800156625365
<b>Energy Efficiency Label</b>	F

<b>Beam angle</b>	100°
<b>Power Factor</b>	0.95
<b>On/Off Cycles</b>	25 000x
<b>Instant On</b>	0.1s
<b>Material</b>	ALU+PC
<b>Operating Frequency</b>	50-60 Hz
<b>Temperature</b>	-20°C / +40°C
<b>Ra ≥</b>	80
<b>Life span</b>	25 000 Hours
<b>Weight of Product</b>	360 gr.
<b>Color Code</b>	CCT
<b>Body Color</b>	White
<b>Lumen maintenance at end of service life</b>	70%
<b>Size of product</b>	φ177x35 mm
<b>Size of package</b>	190x190x45 mm
<b>Items per pack</b>	1
<b>Items per box</b>	40
<b>Color Of The Shell</b>	White

<b>Gross weight</b>	0,326 kg
<b>Net weight</b>	0,260 kg
<b>Warranty</b>	3 Years