

OPTONICA




LED Mini Modul Quadratisch CCT Farbwechsel 3 Jahre Garantie Premium Linie

Leistung


- 12W

Lichtfarbe



Farbwechsel
3000K-6000K

Stamps



Technische Spezifikation

| | |
|--------------------------------|-------------------------|
| Katalognummer | 2595 |
| Brand | Optonica |
| Product Code | DL12-A6 |
| Power | 12W |
| Energy Consumption | 12 kWh/1000h |
| Input voltage | AC165-265V |
| Flux | 950 lm |
| FLUX per watt | 80lm/W |
| IP | 44 |
| Dimmable | No |
| Light Color | Farbwechsel 3000K-6000K |
| Wattage Equivalent | 65W |
| EAN Code | 3800156625952 |
| Energy Efficiency Label | F |
| Beam angle | 100° |
| Hole Size | 155x155 mm |

| | |
|---|----------------|
| Power Factor | 0.95 |
| On/Off Cycles | 25 000x |
| Instant On | 0.1s |
| Material | ALU+PC |
| Operating Frequency | 50-60 Hz |
| Temperature | -20°C / +40°C |
| Ra ≥ | 80 |
| Life span | 25 000 Hours |
| Color Code | CCT |
| Body Color | White |
| Mount Type | Built-In |
| Lumen maintenance at end of service life | 70% |
| Size of product | 165x165x32 mm |
| Size of package | 200x180x50 mm |
| Size of Box | 500x365x410 mm |
| Items per pack | 1 |
| Items per box | 40 |
| Color Of The Shell | White |

| | |
|---------------------|-----------|
| Gross weight | 0,325 kg |
| Net weight | 0,2621 kg |
| Warranty | 3 Years |