


# OPTONICA



## LED-Panel 62x62


### Leistung Lichtfarbe

• 36W



Warmweiß

### Stamps



## Technische Spezifikation

|                                     |               |
|-------------------------------------|---------------|
| <b>Katalognummer</b>                | 2703          |
| <b>Brand</b>                        | Optonica      |
| <b>Product Code</b>                 | DL36-A3       |
| <b>Power</b>                        | 36W           |
| <b>Energy Consumption</b>           | 36 kWh/1000h  |
| <b>Input voltage</b>                | AC175-265V    |
| <b>Flux</b>                         | 3600 lm       |
| <b>FLUX per watt</b>                | 100lm/W       |
| <b>IP</b>                           | 20            |
| <b>Dimmable</b>                     | No            |
| <b>Correlated Color Temperature</b> | 2700K         |
| <b>Light Color</b>                  | Warmweiß      |
| <b>EAN Code</b>                     | 3800156627031 |
| <b>Energy Efficiency Label</b>      | E             |
| <b>Beam angle</b>                   | 120°          |
| <b>On/Off Cycles</b>                | 100 000x      |
| <b>Operating Frequency</b>          | 50-60 Hz      |
| <b>Temperature</b>                  | -20°C / +40°C |

|   |              |
|---|--------------|
| <b>Ra ≥</b>                                     | 80           |
| <b>Life span</b>                                | 25 000 Hours |
| <b>Color Code</b>                               | 860          |
| <b>Body Color</b>                               | White        |
| <b>Lumen maintenance at end of service life</b> | 70%          |
| <b>Size of product</b>                          | 620x620x9 mm |
| <b>Items per pack</b>                           | 6            |
| <b>Material</b>                                 | Plastic+ALU  |
| <b>Gross weight</b>                             | 2,240 kg     |
| <b>Net weight</b>                               | 1,943 kg     |
| <b>Warranty</b>                                 | 2 Years      |