


OPTONICA



LED Backlit Mini Panel Slim quadratisch


Leistung **Lichtfarbe**

• 24W



Neutralweiß

Stamps



Technische Spezifikation

| | |
|-------------------------------------|---------------|
| Katalognummer | 2973 |
| Brand | Optonica |
| Product Code | DL24-B1 |
| Power | 24W |
| Energy Consumption | 24 kWh/1000h |
| Input voltage | AC85-265V |
| Flux | 1920 lm |
| FLUX per watt | 80 lm/W |
| IP | 20 |
| Dimmable | No |
| Correlated Color Temperature | 4500K |
| Light Color | Neutralweiß |
| EAN Code | 3800156629738 |
| Energy Efficiency Label | F |
| Beam angle | 120° |
| Hole Size | 280x280mm |

| | |
|---|---------------|
| On/Off Cycles | 25 000x |
| Instant On | 0.1s |
| Operating Frequency | 50-60 Hz |
| Temperature | -20°C / +40°C |
| Ra ≥ | 80 |
| Life span | 25 000 Hours |
| Body Color | White |
| Lumen maintenance at end of service life | 70% |
| Size of product | 300x300x24mm |
| Size of package | 32.5x3x30.5cm |
| Size of Box | 33.5x32x32cm |
| Items per pack | 1 |
| Items per box | 10 |
| Material | Aluminium |
| Gross weight | 0,477 kg |
| Net weight | 0,368 kg |
| Warranty | 2 Years |