

OPTONICA



LED Лента 5630 Невлажозащитена Професионална Серия


Цвят на светлината



Топла светлина

Stamps





Техническа Спецификация

| | |
|-------------------------------------|----------------|
| Каталожен Номер | 4912 |
| Brand | Optonica |
| Product Code | ST5630-A1 |
| Energy Consumption | 12/m kWh/1000h |
| Input voltage | DC12V |
| Flux | 1000 lm/m |
| IP | 20 |
| Dimmable | Yes |
| Correlated Color Temperature | 2700K |
| Light Color | Топла светлина |
| EAN Code | 3800156649125 |
| Energy Efficiency Label | F |
| Beam angle | 120° |
| Power Factor | 0.5 |

| | |
|---|---------------|
| On/Off Cycles | 25 000x |
| Instant On | 0.2s |
| Material | Flex PCB |
| Operating Frequency | 50-60 Hz |
| Temperature | -20°C / +40°C |
| Ra ≥ | 80 |
| Life span | 25 000 Hours |
| Color Code | 827 |
| LED Type | SMD |
| LEDs/m | 60 |
| Power per meter | 12W/m |
| Roll | 5 m |
| Lumen maintenance at end of service life | 70% |
| Gross weight | 0,052 kg |
| Net weight | 0,041 kg |
| Warranty | 2 Years |