

OPTONICA

LED Spot GU10 110°



Technical Specification

| | |
|---------------------------|-------------|
| Catalog Number | 1930 |
| Brand | Optonica |
| Product Code | SP5-A3 |
| Socket | GU10 |
| Power | 5W |
| Energy Consumption | 5 kWh/1000h |

| | |
|-------------------------------------|---------------|
| Input voltage | AC175-265V |
| Flux | 400 lm |
| FLUX per watt | 80lm/W |
| IP | 20 |
| Dimmable | No |
| Correlated Color Temperature | 4500K |
| Light Color | Neutral white |
| Wattage Equivalent | 40W |
| EAN Code | 3800156619302 |
| Energy Efficiency Label | F |
| Beam angle | 110° |
| Power Factor | 0.5 |
| Power LED | 5W |
| On/Off Cycles | 25 000x |
| Instant On | 0.2s |
| Material | ALU+PC |
| Operating Frequency | 50-60 Hz |
| Temperature | -30°C / +50°C |

| | |
|---|----------------|
| Ra ≥ | 80 |
| Life span | 25 000 Hours |
| Color Code | 845 |
| Lumen maintenance at end of service life | 70% |
| Size of product | 57x50 mm |
| Size of package | 60x50x50 mm |
| Size of Box | 530x275x145 mm |
| Items per pack | 1 |
| Items per box | 100 |
| Candela | 150 cd |
| Gross weight | 0,040 kg |
| Net weight | 0,030 kg |
| Warranty | 2 Years |