


OPTONICA



LED Solar Powered Floodlight + Solar Panel

Power **Light color**

- 35W 
White light

Stamps



Technical Specification

| | |
|-------------------------------------|---------------|
| Catalog Number | 5463 |
| Brand | Optonica |
| Product Code | FL100-A6 |
| Power | 35W |
| Input voltage | 6.4V |
| Flux | 2800 lm |
| FLUX per watt | 80lm/W |
| IP | 65 |
| Dimmable | No |
| Correlated Color Temperature | 6000K |
| Light Color | White light |
| EAN Code | 3800156654631 |
| Beam angle | 120° |
| Power Factor | 0.9 |
| On/Off Cycles | 25 000x |
| Instant On | 0.1s |
| Material | Aluminium |
| Operating Frequency | 50-60 Hz |

| | |
|-------------------------------------------------|-----------------------------------------------------------|
| Temperature | -20°C / +40°C |
| Ra ≥ | 80 |
| Life span | 25 000 Hours |
| Color Code | 860 |
| Body Color | Black |
| Mount Type | Outer Installation |
| Lumen maintenance at end of service life | 70% |
| Size of product | Floodlight - 320x280x80 mm / Solar Panel - 580x360x20 mm |
| Size of package | Floodlight - 340x290x100 mm / Solar Panel - 590x380x30 mm |
| Size of Box | 385x160x605 mm |
| Items per pack | 1 |
| Items per box | 2 |
| Battery | 6.4V/16.5Ah |
| Remote Control | Yes |
| Charging Time | 4-8 hours |
| Working time | 12-16 hours |
| Gross weight | 4,910 kg |

| | |
|-------------------|----------|
| Net weight | 4,370 kg |
| Warranty | 2 Years |