



<b>Catalog Number</b>	1916
<b>Brand</b>	Optonica
<b>Product Code</b>	SP15-A6
<b>Socket</b>	B22
<b>Power</b>	15W
<b>Energy Consumption</b>	15 kWh/1000h
<b>Input voltage</b>	AC170-240V
<b>Flux</b>	1200 lm
<b>FLUX per watt</b>	80 lm/W
<b>IP</b>	20
<b>Correlated Color Temperature</b>	4500K
<b>Light Color</b>	Neutral white
<b>Wattage Equivalent</b>	83W
<b>EAN Code</b>	3800156619166
<b>Energy Efficiency Label</b>	G
<b>Beam angle</b>	270°
<b>On/Off Cycles</b>	25 000x
<b>Instant On</b>	0.1s

<b>Material</b>	ALU+PC
<b>Temperature</b>	-20°C / +40°C
<b>Ra ≥</b>	80
<b>Life span</b>	25 000 Hours
<b>Color Code</b>	845
<b>Lumen maintenance at end of service life</b>	70%
<b>Size of product</b>	Ø60x110 mm
<b>Size of package</b>	63x150x62 mm
<b>Items per pack</b>	1
<b>Items per box</b>	50
<b>Frequency</b>	50/60Hz
<b>Gross weight</b>	0,058 kg
<b>Net weight</b>	0,045 kg
<b>Warranty</b>	2 Years