


# OPTONICA



## LED SMD Floodlight Black Body IP65

### Light color



RGB

### Stamps



# Technical Specification

|                                |               |
|--------------------------------|---------------|
| <b>Catalog Number</b>          | 5755          |
| <b>Brand</b>                   | Optonica      |
| <b>Product Code</b>            | FL30-B3       |
| <b>Energy Consumption</b>      | 30 kWh/1000h  |
| <b>Input voltage</b>           | AC220-240V    |
| <b>Flux</b>                    | 2700 lm       |
| <b>FLUX per watt</b>           | 90lm/W        |
| <b>IP</b>                      | 65            |
| <b>Dimmable</b>                | No            |
| <b>Light Color</b>             | RGB           |
| <b>Wattage Equivalent</b>      | 160W          |
| <b>EAN Code</b>                | 3800156657557 |
| <b>Energy Efficiency Label</b> | F             |
| <b>Beam angle</b>              | 120°          |
| <b>Power Factor</b>            | 0.9           |
| <b>Power LED</b>               | 30W           |

|   |  |
|---|--|
| <b>On/Off Cycles</b>                            | 25 000x  |
| <b>Instant On</b>                               | 0.1s   |
| <b>Operating Frequency</b>                      | 50-60 Hz                                       |
| <b>Temperature</b>                              | -20°C / +40°C                                  |
| <b>Ra ≥</b>                                     | 80   |
| <b>Life span</b>                                | 25 000 Hours                                   |
| <b>Color Code</b>                               | 860  |
| <b>Body Color</b>                               | Black  |
| <b>LED Type</b>                                 | SMD  |
| <b>Lumen maintenance at end of service life</b> | 70%  |
| <b>Size of product</b>                          | 155x169.5x31 mm                                |
| <b>Items per pack</b>                           | 1  |
| <b>Items per box</b>                            | 20   |
| <b>Material</b>                                 | ALU+Glass                                      |
| <b>Cable</b>                                    | 15cm, 3x0.75mm <sup>2</sup> white rubber cable |
| <b>Glass</b>                                    | Black edge clear glass                         |
| <b>Gross weight</b>                             | 0,534 kg                                       |

|                   |          |
|-------------------|----------|
| <b>Net weight</b> | 0,471 kg |
| <b>Warranty</b>   | 2 Years  |