


# OPTONICA



## LED Pendant Lamp



## Technical Specification

<b>Catalog Number</b>	9032
<b>Brand</b>	Optonica
<b>Product Code</b>	PD60-A1
<b>Power</b>	60W
<b>Energy Consumption</b>	60 kWh/1000h
<b>Input voltage</b>	AC175-265V

<b>Flux</b>	4000 lm
<b>FLUX per watt</b>	67lm/W
<b>IP</b>	20
<b>Dimmable</b>	No
<b>Correlated Color Temperature</b>	3000K
<b>Light Color</b>	White light
<b>EAN Code</b>	3800156690325
<b>Energy Efficiency Label</b>	G
<b>Power Factor</b>	0.95
<b>On/Off Cycles</b>	25 000x
<b>Instant On</b>	0.1s
<b>Material</b>	Thermoplastic
<b>Operating Frequency</b>	50-60 Hz
<b>Temperature</b>	-30°C / +50°C
<b>Ra ≥</b>	80
<b>Weight of Product</b>	5.610 kg.
<b>Color Code</b>	830
<b>Body Color</b>	White

<b>Mount Type</b>	Suspending
<b>Lumen maintenance at end of service life</b>	70%
<b>Size of product</b>	φ800x1200 mm
<b>Size of package</b>	860x870x180 mm
<b>Items per pack</b>	1
<b>Items per box</b>	1
<b>Light Source</b>	Epistar
<b>Gross weight</b>	5,700 kg
<b>Net weight</b>	3,600 kg
<b>Warranty</b>	3 Years