


# OPTONICA



## Aplique de Pared LED Redondo 4 Diodos Cuerpo Gris


**Potencia**    **Color de luz**

• 4W



Blanco cálido

### Stamps



# Especificación técnica

|                                     |               |
|-------------------------------------|---------------|
| <b>Número de catálogo</b>           | 7489          |
| <b>Brand</b>                        | Optonica      |
| <b>Product Code</b>                 | WL4-A1        |
| <b>Power</b>                        | 4W            |
| <b>Energy Consumption</b>           | 4 kWh/1000h   |
| <b>Input voltage</b>                | AC220-240V    |
| <b>Flux</b>                         | 440 lm        |
| <b>FLUX per watt</b>                | 110lm/W       |
| <b>IP</b>                           | 54            |
| <b>Dimmable</b>                     | No            |
| <b>Correlated Color Temperature</b> | 3000K         |
| <b>Light Color</b>                  | Blanco cálido |
| <b>Wattage Equivalent</b>           | 29W           |
| <b>EAN Code</b>                     | 3800156674899 |
| <b>Energy Efficiency Label</b>      | E             |
| <b>Beam angle</b>                   | 90°           |

|   |                   |
|---|-------------------|
| <b>Power Factor</b>                             | 0.9               |
| <b>On/Off Cycles</b>                            | 25 000x           |
| <b>Instant On</b>                               | 0.1s              |
| <b>Material</b>                                 | Aluminium         |
| <b>Operating Frequency</b>                      | 50-60 Hz          |
| <b>Temperature</b>                              | -20°C / +40°C     |
| <b>Life span</b>                                | 25 000 Hours      |
| <b>Color Code</b>                               | 830               |
| <b>Body Color</b>                               | Gray              |
| <b>LED Type</b>                                 | Cree              |
| <b>Mount Type</b>                               | Wall Installation |
| <b>Lumen maintenance at end of service life</b> | 70%               |
| <b>Size of product</b>                          | φ110 mm           |
| <b>Size of package</b>                          | 115x115x115 mm    |
| <b>Items per pack</b>                           | 1                 |
| <b>Items per box</b>                            | 20                |
| <b>Color Of The Shell</b>                       | Grey              |
| <b>Gross weight</b>                             | 0,650 kg          |

|                   |          |
|-------------------|----------|
| <b>Net weight</b> | 0,590 kg |
| <b>Warranty</b>   | 2 Years  |