


OPTONICA



Proyector LED Empotrado para Exteriores


Potencia **Color de luz**

• 5W



Luz blanca

Stamps



Especificación técnica

| | |
|-------------------------------------|---------------|
| Número de catálogo | 515 |
| Brand | Optonica |
| Product Code | UN5-A1 |
| Power | 5W |
| Energy Consumption | 5 kWh/1000h |
| Input voltage | AC200-245V |
| Flux | 400 lm |
| FLUX per watt | 80lm/W |
| IP | 65 |
| Dimmable | No |
| Correlated Color Temperature | 6000K |
| Light Color | Luz blanca |
| EAN Code | 3800156605152 |
| Energy Efficiency Label | F |
| Beam angle | 18° |
| Power Factor | 0.5 |

| | |
|---|----------------|
| On/Off Cycles | 25 000x |
| Instant On | 0.1s |
| Material | Aluminium |
| Operating Frequency | 50-60 Hz |
| Temperature | -20°C / +40°C |
| Ra ≥ | 80 |
| Life span | 25 000 Hours |
| Color Code | 860 |
| Mount Type | Built-In |
| Lumen maintenance at end of service life | 70% |
| Size of product | φ140x93 mm |
| Size of package | 170x165x110 mm |
| Items per pack | 1 |
| Items per box | 32 |
| Gross weight | 0,800 kg |
| Net weight | 0,740 kg |
| Warranty | 2 Years |