

# OPTONICA

## Mini Luz LED Empotrada de Pared




**Potencia**    **Color de luz**

- 1W



Luz blanca

### Stamps



# Especificación técnica

|                                     |                  |
|-------------------------------------|------------------|
| <b>Número de catálogo</b>           | 863              |
| <b>Brand</b>                        | Optonica         |
| <b>Product Code</b>                 | UN1-A6           |
| <b>Power</b>                        | 1W               |
| <b>IP</b>                           | 44               |
| <b>Correlated Color Temperature</b> | 6000K            |
| <b>Light Color</b>                  | Luz blanca       |
| <b>EAN Code</b>                     | 3800156608634    |
| <b>Beam angle</b>                   | 60º              |
| <b>On/Off Cycles</b>                | 100 000x         |
| <b>Instant On</b>                   | < 0.5 s          |
| <b>Material</b>                     | Aluminium Silver |
| <b>Temperature</b>                  | -20°C / +40°C    |
| <b>Life span</b>                    | 25 000 Hours     |
| <b>Color Code</b>                   | 860              |
| <b>Size of product</b>              | 64x43 mm         |

|                            |                  |
|----------------------------|------------------|
| <b>Items per pack</b>      | 1                |
| <b>Items per box</b>       | 100              |
| <b>Color Of The Shell</b>  | Aluminium Sliver |
| <b>Cable</b>               | 0.5 m            |
| <b>Voltage</b>             | DC:24V           |
| <b>Control Mode</b>        | On/ Off          |
| <b>CRI</b>                 | ≥ 80             |
| <b>Mounting dimensions</b> | Ø 55 mm          |
| <b>Gross weight</b>        | 0,180 kg         |
| <b>Net weight</b>          | 0,140 kg         |
| <b>Warranty</b>            | 2 Years          |