

OPTONICA



LED gabinete luz - delgada 2.5 W con PIR Sensor

Potencia


- 2.5W

Color de luz



Cambio de color
3000K-6000K

Stamps



Especificación técnica

| | |
|---|-----------------------------|
| Número de catálogo | 232 |
| Brand | Optonica |
| Product Code | OT1-C3 |
| Power | 2.5W |
| Flux | 200 lm |
| IP | 20 |
| Dimmable | No |
| Correlated Color Temperature | 3000K-6000K |
| Light Color | Cambio de color 3000K-6000K |
| EAN Code | 3800156602236 |
| Beam angle | 360° |
| On/Off Cycles | 25 000x |
| Instant On | 0.1s |
| Operating Frequency | 50-60 Hz |
| Temperature | -20°C / +40°C |
| Life span | 25 000 Hours |
| Lumen maintenance at end of service life | 70% |
| Size of product | 400x41x16.5 mm |

| | |
|---------------------------|----------------|
| Size of package | 330x45x43 mm |
| Size of Box | 470x208x350 mm |
| Items per pack | 1 |
| Items per box | 50 |
| Color Of The Shell | Silver |
| Battery | 3.7V/2200 mAh |
| Material | Plastic+ALU |
| Gross weight | 0,280 kg |
| Net weight | 0,229 kg |
| Warranty | 2 Years |