

OPTONICA



Módulo empotrado cuadrado LED


Potencia **Color de luz**

- 6W



Blanco cálido

Stamps



Especificación técnica

| | |
|-------------------------------------|---------------|
| Número de catálogo | 2449 |
| Brand | Optonica |
| Product Code | DL6-A4 |
| Power | 6W |
| Energy Consumption | 6 kWh/1000h |
| Input voltage | AC180-260V |
| Flux | 360 lm |
| FLUX per watt | 60lm/W |
| IP | 20 |
| Dimmable | No |
| Correlated Color Temperature | 2800K |
| Light Color | Blanco cálido |
| Wattage Equivalent | 48W |
| EAN Code | 3800156624498 |
| Energy Efficiency Label | G |
| Beam angle | 120º |

| | |
|---|----------------|
| Hole Size | 110x110 mm |
| Power Factor | 0.5 |
| On/Off Cycles | 25 000x |
| Instant On | 0.2s |
| Material | Aluminium |
| Operating Frequency | 50-60 Hz |
| Temperature | -20°C / +40°C |
| Ra ≥ | 80 |
| Life span | 25 000 Hours |
| Color Code | 827 |
| Lumen maintenance at end of service life | 70% |
| Size of product | 120x120x22 mm |
| Size of package | 135x160x35 mm |
| Size of Box | 370x280x335 mm |
| Items per pack | 1 |
| Items per box | 40 |
| Gross weight | 0,158 kg |
| Net weight | 0,126 kg |

Warranty

2 Years