

# OPTONICA




## Tira De LED 2835 No Resistente Al Agua Profesional Edicion

### Color de luz



Blanca neutral

### Stamps



# Especificación técnica

|                                     |                 |
|-------------------------------------|-----------------|
| <b>Número de catálogo</b>           | 4700            |
| <b>Brand</b>                        | Optonica        |
| <b>Product Code</b>                 | ST2835-A1       |
| <b>Energy Consumption</b>           | 4.8/m kWh/1000h |
| <b>Input voltage</b>                | DC12V           |
| <b>Flux</b>                         | 300 lm/m        |
| <b>IP</b>                           | 20              |
| <b>Dimmable</b>                     | Yes             |
| <b>Correlated Color Temperature</b> | 4500K           |
| <b>Light Color</b>                  | Blanca neutral  |
| <b>EAN Code</b>                     | 3800156647008   |
| <b>Energy Efficiency Label</b>      | G               |
| <b>Beam angle</b>                   | 120°            |
| <b>Power Factor</b>                 | 0.5             |
| <b>On/Off Cycles</b>                | 25 000x         |
| <b>Instant On</b>                   | 0.2s            |

|   |               |
|---|---------------|
| <b>Material</b>                                 | Flex PCB      |
| <b>Operating Frequency</b>                      | 50-60 Hz      |
| <b>Temperature</b>                              | -20°C / +40°C |
| <b>Ra ≥</b>                                     | 80            |
| <b>Life span</b>                                | 25 000 Hours  |
| <b>LED Type</b>                                 | SMD           |
| <b>LEDs/m</b>                                   | 60            |
| <b>Power per meter</b>                          | 4.8W/m        |
| <b>Roll</b>                                     | 5 m           |
| <b>Lumen maintenance at end of service life</b> | 70%           |
| <b>Size of product</b>                          | 8 x 2mm       |
| <b>Width</b>                                    | 8 mm          |
| <b>Gross weight</b>                             | 0,043 kg      |
| <b>Net weight</b>                               | 0,005 kg      |
| <b>Warranty</b>                                 | 2 Years       |