


OPTONICA




Tira De LED 2835 Impermeable Profesional Edicion

Color de luz



Blanco cálido



Especificación técnica

| | |
|---------------------------|-----------------|
| Número de catálogo | 4733 |
| Brand | Optonica |
| Product Code | ST2835-A2 |
| Energy Consumption | 4.8/m kWh/1000h |
| Input voltage | DC12V |

| | |
|-------------------------------------|---------------|
| Flux | 300 lm/m |
| IP | 54 |
| Dimmable | Yes |
| Correlated Color Temperature | 2700K |
| Light Color | Blanco cálido |
| EAN Code | 3800156647336 |
| Energy Efficiency Label | G |
| Beam angle | 120° |
| Power Factor | 0.5 |
| On/Off Cycles | 25 000x |
| Instant On | 0.2s |
| Material | Flex PCB |
| Operating Frequency | 50-60 Hz |
| Temperature | -20°C / +40°C |
| Ra ≥ | 80 |
| Life span | 25 000 Hours |
| Color Code | 828 |
| LED Type | SMD |

| | |
|---|----------|
| LEDs/m | 60 |
| Power per meter | 4.8W/m |
| Roll | 5 m |
| Lumen maintenance at end of service life | 70% |
| Gross weight | 0,129 kg |
| Net weight | 0,116 kg |
| Warranty | 2 Years |