


# OPTONICA




## Tira De LED 2835 Impermeable Profesional Edicion

### Color de luz



Verde

### Stamps



# Especificación técnica

|                                |                 |
|--------------------------------|-----------------|
| <b>Número de catálogo</b>      | 4735            |
| <b>Brand</b>                   | Optonica        |
| <b>Product Code</b>            | ST2835-A2       |
| <b>Energy Consumption</b>      | 4.8/m kWh/1000h |
| <b>Input voltage</b>           | DC12V           |
| <b>Flux</b>                    | 300 lm/m        |
| <b>IP</b>                      | 54              |
| <b>Dimmable</b>                | Yes             |
| <b>Light Color</b>             | Verde           |
| <b>EAN Code</b>                | 3800156647350   |
| <b>Energy Efficiency Label</b> | G               |
| <b>Beam angle</b>              | 120°            |
| <b>Power Factor</b>            | 0.5             |
| <b>On/Off Cycles</b>           | 25 000x         |
| <b>Instant On</b>              | 0.2s            |
| <b>Material</b>                | Flex PCB        |

|   |               |
|---|---------------|
| <b>Operating Frequency</b>                      | 50-60 Hz      |
| <b>Temperature</b>                              | -20°C / +40°C |
| <b>Ra ≥</b>                                     | 80            |
| <b>Life span</b>                                | 25 000 Hours  |
| <b>LED Type</b>                                 | SMD           |
| <b>LEDs/m</b>                                   | 60            |
| <b>Power per meter</b>                          | 4.8W/m        |
| <b>Roll</b>                                     | 5 m           |
| <b>Lumen maintenance at end of service life</b> | 70%           |
| <b>Size of product</b>                          | 8 x 3mm       |
| <b>Gross weight</b>                             | 0,120 kg      |
| <b>Net weight</b>                               | 0,020 kg      |
| <b>Warranty</b>                                 | 2 Years       |