

OPTONICA



Plafonnier LED EPISTAR5630 Blanc Sable

Puissance

- 38W

Couleur de lumiere



Lumière chaude

Stamps



Technical Specification

| | |
|-------------------------------------|----------------|
| Reference catalogue | 2297 |
| Brand | Optonica |
| Product Code | DL38-A1 |
| Power | 38W |
| Energy Consumption | 38 kWh/1000h |
| Input voltage | AC175-240V |
| Flux | 1900lm |
| FLUX per watt | 50lm/W |
| IP | 20 |
| Dimmable | No |
| Correlated Color Temperature | 3000K |
| Light Color | Lumière chaude |
| EAN Code | 3800156622975 |
| Energy Efficiency Label | G |
| Beam angle | 120° |
| Power Factor | 0.95 |
| On/Off Cycles | 25 000x |
| Instant On | 0.1s |

| | |
|---|-----------------|
| Material | ALU+PC |
| Operating Frequency | 50-60 Hz |
| Temperature | -20°C / +40°C |
| Ra ≥ | 80 |
| Life span | 25 000 Hours |
| Color Code | 830 |
| Body Color | White |
| Lumen maintenance at end of service life | 70% |
| Size of product | 450x450x1200 mm |
| Items per pack | 1 |
| Items per box | 1 |
| Gross weight | 4,600 kg |
| Net weight | 3,800 kg |
| Warranty | 3 Years |