

# OPTONICA



## Lampadaire de Rue LED Avec Douille NEMA et Photocellule Bridgelux3030 Dimmable

### Puissance


- 75W



### Couleur de lumiere



Lumière blanche

### Stamps





## Technical Specification

<b>Reference catalogue</b>	9194
<b>Brand</b>	Optonica
<b>Product Code</b>	SL75-A4
<b>Socket</b>	NEMA
<b>Power</b>	75W
<b>Energy Consumption</b>	75 kWh/1000h
<b>Input voltage</b>	AC100-240V
<b>Flux</b>	10500 lm
<b>FLUX per watt</b>	140lm/W
<b>IP</b>	66
<b>Dimmable</b>	Yes
<b>Correlated Color Temperature</b>	6000K
<b>Light Color</b>	Lumière blanche
<b>EAN Code</b>	3800156691940

<b>Energy Efficiency Label</b>	C
<b>Beam angle</b>	120°
<b>Hole Size</b>	Ø65 mm
<b>Power Factor</b>	0.95
<b>On/Off Cycles</b>	35 000x
<b>Instant On</b>	0.1s
<b>Material</b>	Aluminium
<b>Operating Frequency</b>	50-60 Hz
<b>Temperature</b>	-20°C / +40°C
<b>Ra ≥</b>	70
<b>Life span</b>	50 000 Hours
<b>Color Code</b>	857
<b>LED Type</b>	Bridgelux
<b>Lumen maintenance at end of service life</b>	70%
<b>Size of product</b>	545x245x180 mm
<b>Size of package</b>	580x280x200 mm
<b>Items per pack</b>	1
<b>Items per box</b>	1

<b>Rated Current</b>	0.375A
<b>Gross weight</b>	5,700 kg
<b>Net weight</b>	5,000 kg
<b>Warranty</b>	5 Years