

OPTONICA




Panneau LED Ultra Mince Encastré+Surface CCT

Puissance

- 18W

Couleur de lumiere



Changement de
couleur 3000K-
6000K

Stamps





Technical Specification

| | |
|-------------------------------------|-----------------------------------|
| Reference catalogue | 2586 |
| Brand | Optonica |
| Product Code | DL18-A7 |
| Power | 18W |
| Energy Consumption | 18 kWh/1000h |
| Input voltage | AC175-265V |
| Flux | 1600 lm |
| FLUX per watt | 89lm/W |
| IP | 20 |
| Dimmable | No |
| Correlated Color Temperature | 3000K-6000K |
| Light Color | Changement de couleur 3000K-6000K |
| Wattage Equivalent | 107W |
| EAN Code | 3800156625860 |

| | |
|---|------------------|
| Energy Efficiency Label | F |
| Beam angle | 100° |
| Hole Size | Φ65-210 mm |
| Power Factor | 0.9 |
| On/Off Cycles | 25 000x |
| Instant On | 0.1s |
| Material | ALU+PC |
| Operating Frequency | 50-60 Hz |
| Temperature | -20°C / +40°C |
| Ra ≥ | 80 |
| Life span | 25 000 Hours |
| Color Code | 830-860 |
| Body Color | White |
| Mount Type | Recessed/Surface |
| Lumen maintenance at end of service life | 70% |
| Size of product | φ225x19 mm |
| Size of package | 235x230x35 mm |
| Items per pack | 1 |

| | |
|---------------------------|----------|
| Items per box | 20 |
| Color Of The Shell | White |
| Color Change Mode | CCT |
| Gross weight | 0,470 kg |
| Net weight | 0,342 kg |
| Warranty | 3 Years |