

# OPTONICA




## Spot LED COB Carré Rotatif

### Puissance


- 5W

### Couleur de lumière



Lumière neutre

### Stamps



# Technical Specification

|                                     |                |
|-------------------------------------|----------------|
| <b>Reference catalogue</b>          | 3268           |
| <b>Brand</b>                        | Optonica       |
| <b>Product Code</b>                 | CB5-A1         |
| <b>Power</b>                        | 5W             |
| <b>Energy Consumption</b>           | 5 kWh/1000h    |
| <b>Input voltage</b>                | AC100-240V     |
| <b>Flux</b>                         | 375 lm         |
| <b>FLUX per watt</b>                | 75lm/W         |
| <b>IP</b>                           | 20             |
| <b>Dimmable</b>                     | No             |
| <b>Correlated Color Temperature</b> | 4000K          |
| <b>Light Color</b>                  | Lumière neutre |
| <b>Wattage Equivalent</b>           | 25W            |
| <b>EAN Code</b>                     | 3800156632684  |
| <b>Energy Efficiency Label</b>      | F              |
| <b>Beam angle</b>                   | 50°            |

|   |               |
|---|---------------|
| <b>Hole Size</b>                                | φ75-80 mm     |
| <b>Power Factor</b>                             | 0.9           |
| <b>On/Off Cycles</b>                            | 25 000x       |
| <b>Instant On</b>                               | 0.1s          |
| <b>Material</b>                                 | Plastic       |
| <b>Operating Frequency</b>                      | 50-60 Hz      |
| <b>Temperature</b>                              | -20°C / +40°C |
| <b>Ra ≥</b>                                     | 80            |
| <b>Life span</b>                                | 25 000 Hours  |
| <b>Color Code</b>                               | 845           |
| <b>Body Color</b>                               | White         |
| <b>Mount Type</b>                               | Built-In      |
| <b>Lumen maintenance at end of service life</b> | 70%           |
| <b>Size of product</b>                          | 90x90x40 mm   |
| <b>Size of package</b>                          | 115x100x60 mm |
| <b>Items per pack</b>                           | 1             |
| <b>Items per box</b>                            | 50            |
| <b>Color Of The Shell</b>                       | White         |

|                            |          |
|----------------------------|----------|
| <b>Mounting dimensions</b> | Ø 100 mm |
| <b>Gross weight</b>        | 0,096 kg |
| <b>Net weight</b>          | 0,073 kg |
| <b>Warranty</b>            | 2 Years  |