

# OPTONICA



## Connecteur en T Blanc

### Puissance

- 12W

### Couleur de lumière



Lumière neutre

### Stamps



## Technical Specification

|                            |          |
|----------------------------|----------|
| <b>Reference catalogue</b> | 5034     |
| <b>Brand</b>               | Optonica |

|                                     |                |
|-------------------------------------|----------------|
| <b>Product Code</b>                 | OT12-A1        |
| <b>Power</b>                        | 12W            |
| <b>Energy Consumption</b>           | 12 kWh/1000h   |
| <b>Input voltage</b>                | AC200-240V     |
| <b>Flux</b>                         | 1020 lm        |
| <b>FLUX per watt</b>                | 85m/W          |
| <b>IP</b>                           | 20             |
| <b>Dimmable</b>                     | No             |
| <b>Correlated Color Temperature</b> | 4000K          |
| <b>Light Color</b>                  | Lumière neutre |
| <b>EAN Code</b>                     | 3800156650343  |
| <b>Energy Efficiency Label</b>      | F              |
| <b>Beam angle</b>                   | 120°           |
| <b>Power Factor</b>                 | 0.5            |
| <b>On/Off Cycles</b>                | 100 000x       |
| <b>Instant On</b>                   | 0.1s           |
| <b>Operating Frequency</b>          | 50-60 Hz       |
| <b>Temperature</b>                  | -20°C / +40°C  |

|   |                   |
|---|-------------------|
| <b>Life span</b>                                | 25 000 Hours      |
| <b>Color Code</b>                               | 840               |
| <b>Body Color</b>                               | White             |
| <b>Lumen maintenance at end of service life</b> | 70%               |
| <b>Size of product</b>                          | 255x127x35 mm     |
| <b>Items per pack</b>                           | 1                 |
| <b>Items per box</b>                            | 5                 |
| <b>Color Of The Shell</b>                       | White             |
| <b>Others</b>                                   | For use with 5377 |
| <b>Material</b>                                 | Aluminium         |
| <b>Gross weight</b>                             | 1,110 kg          |
| <b>Net weight</b>                               | 0,8952 kg         |
| <b>Warranty</b>                                 | 2 Years           |