

OPTONICA



Lampadaire LED PF>0.9

Puissance

- 50W

Couleur de lumière



Lumière neutre

Stamps



Technical Specification

| | |
|-------------------------------------|----------------|
| Reference catalogue | 9205 |
| Brand | Optonica |
| Product Code | SL50-A9 |
| Power | 50W |
| Energy Consumption | 50 kWh/1000h |
| Input voltage | AC220-240V |
| Flux | 5000lm |
| FLUX per watt | 100lm/W |
| IP | 65 |
| Dimmable | No |
| Correlated Color Temperature | 4500K |
| Light Color | Lumière neutre |
| Wattage Equivalent | 277W |
| EAN Code | 3800156692053 |
| Energy Efficiency Label | F |
| Beam angle | 75x135° |
| Hole Size | Ø 55mm |
| Power Factor | 0.9 |

| | |
|---|--|
| On/Off Cycles | 35 000x |
| Instant On | 0.1s |
| Operating Frequency | 50-60 Hz |
| Temperature | -20°C / +40°C |
| Ra ≥ | 70 |
| Life span | 50 000 Hours |
| Color Code | 745 |
| Lumen maintenance at end of service life | 70% |
| Size of product | 486.5x151.2x88 mm |
| Size of package | 510x165x100 mm |
| Size of Box | 530x530x360 mm |
| Items per pack | 1 |
| Items per box | 10 |
| Color Of The Shell | Grey |
| Material | ALU+Glass |
| Cable | 30cm, 3x0.75mm ² black rubber cable |
| Chip | LUMILEDS 2835 |

| | |
|---------------------|----------|
| Glass | Lens |
| Gross weight | 1,296 kg |
| Net weight | 1,087 kg |
| Warranty | 3 Years |