

# OPTONICA




## Lampadaire LED

PF > 0.9

### Puissance

- 100W

### Couleur de lumière



Lumière neutre

### Stamps



## Technical Specification

|                                     |                |
|-------------------------------------|----------------|
| <b>Reference catalogue</b>          | 9208           |
| <b>Brand</b>                        | Optonica       |
| <b>Product Code</b>                 | SL100-A9       |
| <b>Power</b>                        | 100W           |
| <b>Energy Consumption</b>           | 100 kWh/1000h  |
| <b>Input voltage</b>                | AC220-240V     |
| <b>Flux</b>                         | 10000 lm       |
| <b>FLUX per watt</b>                | 100lm/W        |
| <b>IP</b>                           | 65             |
| <b>Dimmable</b>                     | No             |
| <b>Correlated Color Temperature</b> | 4500K          |
| <b>Light Color</b>                  | Lumière neutre |
| <b>Wattage Equivalent</b>           | 527W           |
| <b>EAN Code</b>                     | 3800156692084  |
| <b>Energy Efficiency Label</b>      | F              |
| <b>Beam angle</b>                   | 75x135°        |
| <b>Hole Size</b>                    | Ø 55mm         |
| <b>Power Factor</b>                 | 0.9            |

|   |  |
|---|--|
| <b>On/Off Cycles</b>                            | 35 000x  |
| <b>Instant On</b>                               | 0.1s   |
| <b>Operating Frequency</b>                      | 50-60 Hz                                       |
| <b>Temperature</b>                              | -20°C / +40°C                                  |
| <b>Ra ≥</b>                                     | 70   |
| <b>Life span</b>                                | 50 000 Hours                                   |
| <b>Color Code</b>                               | 745  |
| <b>Lumen maintenance at end of service life</b> | 70%  |
| <b>Size of product</b>                          | 564x189x88 mm                                  |
| <b>Size of package</b>                          | 580x190x100 mm                                 |
| <b>Size of Box</b>                              | 610x530x210 mm                                 |
| <b>Items per pack</b>                           | 1  |
| <b>Items per box</b>                            | 5  |
| <b>Color Of The Shell</b>                       | Grey   |
| <b>Material</b>                                 | ALU+Glass                                      |
| <b>Cable</b>                                    | 30cm, 3x0.75mm <sup>2</sup> black rubber cable |
| <b>Chip</b>                                     | LUMILEDS 2835                                  |

|                     |          |
|---------------------|----------|
| <b>Glass</b>        | Lens     |
| <b>Gross weight</b> | 1,680 kg |
| <b>Net weight</b>   | 1,481 kg |
| <b>Warranty</b>     | 3 Years  |