

# OPTONICA



## Mini panneau carré mince rétroéclairé par LED

### Puissance

- 12W

### Couleur de lumière



Lumière chaude

### Stamps





## Technical Specification

<b>Reference catalogue</b>	2968
<b>Brand</b>	Optonica
<b>Product Code</b>	DL12-B1
<b>Power</b>	12W
<b>Energy Consumption</b>	12 kWh/1000h
<b>Input voltage</b>	AC85-265V
<b>Flux</b>	840 lm
<b>FLUX per watt</b>	70lm/W
<b>IP</b>	20
<b>Dimmable</b>	No
<b>Correlated Color Temperature</b>	2700K
<b>Light Color</b>	Lumière chaude
<b>EAN Code</b>	3800156629684
<b>Energy Efficiency Label</b>	G

<b>Beam angle</b>	120°
<b>Hole Size</b>	150x150mm
<b>On/Off Cycles</b>	25 000x
<b>Instant On</b>	0.1s
<b>Operating Frequency</b>	50-60 Hz
<b>Temperature</b>	-20°C / +40°C
<b>Ra ≥</b>	80
<b>Life span</b>	25 000 Hours
<b>Body Color</b>	White
<b>Lumen maintenance at end of service life</b>	70%
<b>Size of product</b>	170x170x24mm
<b>Size of package</b>	19.5x2.8x17.5cm
<b>Size of Box</b>	41x30x37cm
<b>Items per pack</b>	1
<b>Items per box</b>	40
<b>Material</b>	Aluminium
<b>Gross weight</b>	0,176 kg
<b>Net weight</b>	0,130 kg

**Warranty**

2 Years