

OPTONICA




Lumière sur Rail LED CCT 20W/25W/30W BRIDGELUX - Corps Blanc

Puissance


- 30W

Couleur de lumiere



CCT

Stamps





Technical Specification

| | |
|-------------------------------------|-------------------|
| Reference catalogue | 15106 |
| Brand | Optonica |
| Product Code | FL30-A2 |
| Power | 30W |
| Energy Consumption | 30 kWh/1000h |
| Input voltage | AC220-240V |
| Flux | 2700 lm |
| FLUX per watt | 90lm/W |
| IP | 20 |
| Dimmable | No |
| Correlated Color Temperature | 3000K/4000K/5000K |
| Light Color | CCT |
| EAN Code | 3801057151069 |
| Energy Efficiency Label | F |

| | |
|---|---------------|
| Beam angle | 24°-90° |
| On/Off Cycles | 25 000x |
| Instant On | 0.1s |
| Material | Aluminium |
| Operating Frequency | 50-60 Hz |
| Temperature | -20°C / +40°C |
| Ra ≥ | 90 |
| Life span | 25 000 Hours |
| Body Color | White |
| Lumen maintenance at end of service life | 70% |
| Size of product | 72x210x170mm |
| Size of package | 92x205x183mm |
| Items per pack | 1 |
| Items per box | 16 |
| Gross weight | 0,670 kg |
| Net weight | 0,535 kg |
| Warranty | 3 Years |