

# OPTONICA



## Bande LED 5050 Étanche Édition Maison

### Puissance

- 7.2W/m

### Couleur de lumiere



Lumière chaude

### Stamps





## Technical Specification

<b>Reference catalogue</b>	4210
<b>Brand</b>	Optonica
<b>Product Code</b>	ST5050-A2
<b>Power</b>	7.2W/m
<b>Energy Consumption</b>	7.2/m kWh/1000h
<b>Input voltage</b>	DC12V
<b>Flux</b>	360 lm
<b>FLUX per watt</b>	50lm/W
<b>IP</b>	54
<b>Dimmable</b>	Yes
<b>Correlated Color Temperature</b>	2700K
<b>Light Color</b>	Lumière chaude
<b>EAN Code</b>	3800156642102
<b>Energy Efficiency Label</b>	G

<b>Beam angle</b>	120°
<b>Power Factor</b>	0.5
<b>On/Off Cycles</b>	25 000x
<b>Instant On</b>	0.1s
<b>Material</b>	Flex PCB
<b>Operating Frequency</b>	50-60 Hz
<b>Temperature</b>	-20°C / +40°C
<b>Ra ≥</b>	80
<b>Life span</b>	25 000 Hours
<b>Color Code</b>	827
<b>LED Type</b>	SMD
<b>LEDs/m</b>	30
<b>Power per meter</b>	7.2W/m
<b>Roll</b>	5 m
<b>Lumen maintenance at end of service life</b>	70%
<b>Size of product</b>	5000x10x2 mm
<b>Size of package</b>	210x230x5 mm
<b>Size of Box</b>	600x380x320 mm

<b>Items per pack</b>	1
<b>Items per box</b>	200
<b>Gross weight</b>	0,042 kg
<b>Net weight</b>	0,0339 kg
<b>Warranty</b>	2 Years