


# OPTONICA

## Ampoule LED E14 dimmable

### Puissance


- 6W

### Couleur de lumière



Lumière blanche

### Stamps



# Technical Specification

|                                     |                 |
|-------------------------------------|-----------------|
| <b>Reference catalogue</b>          | 1464            |
| <b>Brand</b>                        | Optonica        |
| <b>Product Code</b>                 | SP6-A9          |
| <b>Socket</b>                       | E14             |
| <b>Power</b>                        | 6W              |
| <b>Energy Consumption</b>           | 6 kWh/1000h     |
| <b>Input voltage</b>                | AC175-265V      |
| <b>Flux</b>                         | 480 lm          |
| <b>FLUX per watt</b>                | 80lm/W          |
| <b>IP</b>                           | 20              |
| <b>Dimmable</b>                     | Yes             |
| <b>Correlated Color Temperature</b> | 6000K           |
| <b>Light Color</b>                  | Lumière blanche |
| <b>Wattage Equivalent</b>           | 48W             |
| <b>EAN Code</b>                     | 3800156614642   |
| <b>Energy Efficiency Label</b>      | G               |

|   |                |
|---|----------------|
| <b>Beam angle</b>                               | 240°           |
| <b>Power Factor</b>                             | 0.5            |
| <b>Power LED</b>                                | 6W             |
| <b>On/Off Cycles</b>                            | 25 000x        |
| <b>Instant On</b>                               | 0.2s           |
| <b>Material</b>                                 | ALU+PC         |
| <b>Operating Frequency</b>                      | 50-60 Hz       |
| <b>Temperature</b>                              | -20°C / +40°C  |
| <b>Ra ≥</b>                                     | 80             |
| <b>Life span</b>                                | 25 000 Hours   |
| <b>Color Code</b>                               | 860            |
| <b>Lumen maintenance at end of service life</b> | 70%            |
| <b>Size of product</b>                          | 103x37 mm      |
| <b>Size of package</b>                          | 110x37x37 mm   |
| <b>Size of Box</b>                              | 405x210x235 mm |
| <b>Items per pack</b>                           | 1              |
| <b>Items per box</b>                            | 100            |
| <b>Gross weight</b>                             | 0,030 kg       |

|                   |          |
|-------------------|----------|
| <b>Net weight</b> | 0,022 kg |
| <b>Warranty</b>   | 2 Years  |