


OPTONICA



Proiettore LED Solare + Pannello Solare

Potenza **Colore della luce**

• 35W



Luce fredda

Stamps



Specifiche tecniche

Numero di catalogo	5463
Brand	Optonica
Product Code	FL100-A6
Power	35W
Input voltage	6.4V
Flux	2800 lm
FLUX per watt	80lm/W
IP	65
Dimmable	No
Correlated Color Temperature	6000K
Light Color	Luce fredda
EAN Code	3800156654631
Beam angle	120°
Power Factor	0.9
On/Off Cycles	25 000x
Instant On	0.1s
Material	Aluminium
Operating Frequency	50-60 Hz

Temperature	-20°C / +40°C
Ra ≥	80
Life span	25 000 Hours
Color Code	860
Body Color	Black
Mount Type	Outer Installation
Lumen maintenance at end of service life	70%
Size of product	Floodlight - 320x280x80 mm / Solar Panel - 580x360x20 mm
Size of package	Floodlight - 340x290x100 mm / Solar Panel - 590x380x30 mm
Size of Box	385x160x605 mm
Items per pack	1
Items per box	2
Battery	6.4V/16.5Ah
Remote Control	Yes
Charging Time	4-8 hours
Working time	12-16 hours
Gross weight	4,910 kg

Net weight	4,370 kg
Warranty	2 Years