

# OPTONICA




## Pannello LED Super Sottile Incassato+Superficie CCT

### Potenza

- 30W


### Colore della luce



Cambio colore  
3000K - 6000K

### Stamps





## Specifiche tecniche

<b>Numero di catalogo</b>	2587
<b>Brand</b>	Optonica
<b>Product Code</b>	DL30-A7
<b>Power</b>	30W
<b>Energy Consumption</b>	30 kWh/1000h
<b>Input voltage</b>	AC175-265V
<b>Flux</b>	3000 lm
<b>FLUX per watt</b>	100lm/W
<b>IP</b>	20
<b>Dimmable</b>	No
<b>Correlated Color Temperature</b>	3000K-6000K
<b>Light Color</b>	Cambio colore 3000K - 6000K
<b>Wattage Equivalent</b>	200W
<b>EAN Code</b>	3800156625877

<b>Energy Efficiency Label</b>	E
<b>Beam angle</b>	100°
<b>Hole Size</b>	Φ65-310 mm
<b>Power Factor</b>	0.9
<b>On/Off Cycles</b>	25 000x
<b>Instant On</b>	0.1s
<b>Material</b>	ALU+PC
<b>Operating Frequency</b>	50-60 Hz
<b>Temperature</b>	-20°C / +40°C
<b>Ra ≥</b>	80
<b>Life span</b>	25 000 Hours
<b>Color Code</b>	830-860
<b>Body Color</b>	White
<b>Mount Type</b>	Recessed/Surface
<b>Lumen maintenance at end of service life</b>	70%
<b>Size of product</b>	φ330x19 mm
<b>Size of package</b>	340x340x35 mm
<b>Items per pack</b>	1

<b>Items per box</b>	10
<b>Color Of The Shell</b>	White
<b>Color Change Mode</b>	CCT
<b>Gross weight</b>	0,960 kg
<b>Net weight</b>	0,812 kg
<b>Warranty</b>	3 Years