


OPTONICA



Pannello di Superficie Rotondo LED AC85-260V


Potenza **Colore della luce**

• 6W



Luce fredda

Stamps



Specifiche tecniche

| | |
|-------------------------------------|---------------|
| Numero di catalogo | 2413 |
| Brand | Optonica |
| Product Code | DL6-B1 |
| Power | 6W |
| Energy Consumption | 6 kWh/1000h |
| Input voltage | AC85-265V |
| Flux | 480 lm |
| FLUX per watt | 80lm/W |
| IP | IP |
| Dimmable | No |
| Correlated Color Temperature | 6000K |
| Light Color | Luce fredda |
| Wattage Equivalent | 56W |
| EAN Code | 3800156624139 |
| Energy Efficiency Label | F |
| Beam angle | 120° |

| | |
|---|----------------|
| Power Factor | 0.5 |
| On/Off Cycles | 100 000x |
| Instant On | 0.2s |
| Material | Aluminium |
| Operating Frequency | 50-60 Hz |
| Temperature | -20°C / +40°C |
| Ra ≥ | 80 |
| Life span | 25 000 Hours |
| Color Code | 860 |
| Lumen maintenance at end of service life | 70% |
| Size of product | 120x120x38 mm |
| Size of package | 130x125x40 mm |
| Size of Box | 420x270x275 mm |
| Items per pack | 1 |
| Items per box | 40 |
| Gross weight | 0,160 kg |
| Net weight | 0,136 kg |
| Warranty | 2 Years |