


OPTONICA



Pannello a LED 60x60cm Surface/Backlit


Potenza **Colore della luce**

• 40W



Luce fredda

Stamps



Specifiche tecniche

| | |
|-------------------------------------|---------------|
| Numero di catalogo | 2784 |
| Brand | Optonica |
| Product Code | DL40-A3 |
| Power | 40W |
| Energy Consumption | 40 kWh/1000h |
| Input voltage | AC220-240V |
| Flux | 3600 lm |
| FLUX per watt | 90lm/W |
| IP | 20 |
| Dimmable | No |
| Correlated Color Temperature | 6000K |
| Light Color | Luce fredda |
| EAN Code | 3800156627840 |
| Energy Efficiency Label | F |
| Beam angle | 120° |
| On/Off Cycles | 25 000x |

| | |
|---|------------------|
| Instant On | 0.1s |
| Material | Aluminium |
| Operating Frequency | 50-60 Hz |
| Temperature | -20°C / +40°C |
| Ra ≥ | 80 |
| Life span | 25 000 Hours |
| Lumen maintenance at end of service life | 70% |
| Size of product | 595x595x40 mm |
| Size of Box | 66.5x23.5x67.5cm |
| Items per pack | 1 |
| Items per box | 10 |
| Gross weight | 1,760 kg |
| Net weight | 1,470 kg |
| Warranty | 2 Years |