

OPTONICA



Mini pannello a LED Backlit Surface rotondo slim


Potenza **Colore della luce**

- 18W



Luce fredda

Stamps



Specifiche tecniche

| | |
|-------------------------------------|---------------|
| Numero di catalogo | 2981 |
| Brand | Optonica |
| Product Code | DL18-B1 |
| Power | 18W |
| Energy Consumption | 18 kWh/1000h |
| Input voltage | AC: 175-260V |
| Flux | 1350 lm |
| FLUX per watt | 75lm/W |
| IP | 20 |
| Dimmable | No |
| Correlated Color Temperature | 6000K |
| Light Color | Luce fredda |
| EAN Code | 3800156629813 |
| Energy Efficiency Label | F |
| Beam angle | 120° |
| On/Off Cycles | 25 000x |

| | |
|---|-----------------|
| Instant On | 0.1s |
| Operating Frequency | 50-60 Hz |
| Temperature | -20°C / +40°C |
| Ra ≥ | 80 |
| Life span | 25 000 Hours |
| Lumen maintenance at end of service life | 70% |
| Size of product | Ø 220 x 31 mm |
| Size of package | 22.5x3.5x22.5cm |
| Size of Box | 46x37.5x24cm |
| Items per pack | 1 |
| Items per box | 20 |
| Material | Aluminium |
| Gross weight | 0,270 kg |
| Net weight | 0,206 kg |
| Warranty | 2 Years |