

OPTONICA



Mini pannello a LED Backlit Surface quadro slim


Potenza **Colore della luce**

- 12W



Luce naturale

Stamps



Specifiche tecniche

| | |
|-------------------------------------|---------------|
| Numero di catalogo | 2991 |
| Brand | Optonica |
| Product Code | DL12-B1 |
| Power | 12W |
| Energy Consumption | 12 kWh/1000h |
| Input voltage | AC85-265V |
| Flux | 840 lm |
| FLUX per watt | 70lm/W |
| IP | 20 |
| Dimmable | No |
| Correlated Color Temperature | 4500K |
| Light Color | Luce naturale |
| EAN Code | 3800156629912 |
| Energy Efficiency Label | G |
| Beam angle | 120° |
| On/Off Cycles | 25 000x |

| | |
|---|-----------------|
| Instant On | 0.1s |
| Operating Frequency | 50-60 Hz |
| Temperature | -20°C / +40°C |
| Ra ≥ | 80 |
| Life span | 25 000 Hours |
| Lumen maintenance at end of service life | 70% |
| Size of product | 160x160x28mm |
| Size of package | 17.5x3.5x17.5cm |
| Size of Box | 37.5x36x37cm |
| Items per pack | 1 |
| Items per box | 40 |
| Material | Aluminium |
| Gross weight | 0,217 kg |
| Net weight | 0,173 kg |
| Warranty | 2 Years |